


Cable sets | QT

Slotted inserts for KEL-QUICK, KEL-QTA, QVT & QVT-CLICK cable diameter Ø1-15mm | IP54 | UL Type 12

Article:	QT
Brand:	icotek
IP Rating:	IP54
UL Type:	UL Type 12
Material:	Elastomer
Flammability:	UL94-V0, self-extinguishing
Temperature:	40°C to 100°C
Characteristics:	Silicone-free, Halogen-free
For:	Cable entry frame - KEL-QUICK Cable gland - QVT & QVT-CLICK



Description

The cable gland QT is used in the following cable gland systems:

Cable entry frame KEL-QUICK

Cable gland-QVT

Cable gland-QVT-CLICK

The model series can be used from 1 to 15 mm in diameter.

Through the use of cable glands, the packing density of cable glands can be massively increased.

Special bushings, e.g. bushings for ASI cables, increase the variability of cable entries. Blind bushings can seal locations where bushings are not fitted.

When assembling multi-level units, it is important that the flat sides of the flat shelves face each other.

Advantages

- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters
- Increased packing density when using double or quadruple bushings

Article number

Art.No	Description	Designation 2	Type	Number of Cables	Cable diameter. Ø mm	Length mm	Width mm	Height mm	Color	Cable type	Unit	Saint Francis
42501	Stake QT single	QT 1 gy	Simple	1	1x1-2	19	20	12	gray	Round cable	st	10
42502	Stake QT single	QT 2 gy	Simple	1	1x2-3	19	20	12	gray	Round cable	st	10
42503	Stake QT single	QT 3 gy	Simple	1	1x3-4	19	20	12	gray	Round cable	st	10
42504	Stake QT single	QT 4 years	Simple	1	1x4-5	19	20	12	gray	Round cable	st	10
42505	Stake QT single	QT 5 gy	Simple	1	1x5-6	19	20	12	gray	Round cable	st	10
42506	Stake QT single	QT 6 gy	Simple	1	1x6-7	19	20	12	gray	Round cable	st	10
42507	Stake QT single	QT 7 gy	Simple	1	1x7-8	19	20	12	gray	Round cable	st	10
42508	Stake QT single	QT 8 gy	Simple	1	1x8-9	19	20	12	gray	Round cable	st	10
42509	Stake QT single	QT 9 gy	Simple	1	1x9-10	19	20	12	gray	Round cable	st	10
42510	Stake QT single	QT 10 gy	Simple	1	1x10-11	19	20	12	gray	Round cable	st	10
42511	Stake QT single	QT 11 gy	Simple	1	1x11-12	19	20	12	gray	Round cable	st	10
42512	Stake QT single	QT 12 gy	Simple	1	1x12-13	19	20	12	gray	Round cable	st	10
42513	Stake QT single	QT 13 gy	Simple	1	1x13-14	19	20	12	gray	Round cable	st	10

Article number

42514	Stake QT single	QT 14 gy	Simple	1	1x14-15	19	20	12	gray	Round cable	st	10
42566	Wager QT multi	QT 2 3 gy	Multi	2	2x3-3	19	20	12	gray	Round cable	st	10
42568	Wager QT multi	QT 2 4 gy	Multi	2	2x4-4	19	20	12	gray	Round cable	st	10
42570	Wager QT multi	QT 2 5 gy	Multi	2	2x5-5	19	20	12	gray	Round cable	st	10
42571	Wager QT multi	QT 2 5.5 G Y	Multi	2	2x5.5-5.5	19	20	12	gray	Round cable	st	10
42572	Wager QT multi	QT 2 6 gy	Multi	2	2x6-6	19	20	12	gray	Round cable	st	10
42576	Wager QT multi	QT 2 6.5 Gy	Multi	2	2x6.5-6.5	19	20	12	gray	Round cable	st	10
42578	Wager QT multi	QT 2 7 gy	Multi	2	2x7-7	19	20	12	gray	Round cable	st	10
42579	Wager QT multi	QT 2 8 gy	Multi	2	2x8-8	19	20	12	gray	Round cable	st	10
42580	Wager QT multi	QT 4 3 gy	Multi	4	4x3-3	19	20	12	gray	Round cable	st	10
42582	Wager QT multi	QT 4 4 gy	Multi	4	4x4-4	19	20	12	gray	Round cable	st	10
42583	Wager QT multi	QT 4 4.5 gy	Multi	4	4x4.5-4.5	19	20	12	gray	Round cable	st	10
42584	Wager QT multi	QT 4 5 gy	Multi	4	4x5-5	19	20	12	gray	Round cable	st	10
42585	Wager QT multi	QT 4 5.5 gy	Multi	4	4x5.5-5.5	19	20	12	gray	Round cable	st	10

Article number

42586	Wager QT multi	QT 4 6 gy	Multi	4	4x6-6	19	20	12	gray	Round cable	st	10
42540	Bet QT special	QTB ok	Blind	0		19	20	12	gray		st	10
42573	Bet QT special	QT-ASI 1 gy	ASI	1		19	20	12	gray	ASI cable	st	10
42574	Bet QT special	QT-ASI 2 gy	ASI	2		19	20	12	gray	ASI cable	st	10
42575	Bet QT special	QT Telegy	Tele	1		19	20	12	gray	Phone cord	st	10