

Cabinet | E MOX X

Stainless steel floor-standing cabinet | Stable monoblock construction | AISI304L & AISI316L | Incl. Mounting plate | | IP66

| | |
|-------------------------------|--|
| Article: | E MOX X |
| Brand: | E.t.a |
| Protection class Single door: | IP66 NEMA/UL Type: 1, 12, 3R, 4X |
| Protection class Double door: | IP55 NEMA/UL Type: 1, 12, 3R |
| Material structure: | 1.5 mm AISI304L or AISI316L |
| Material door: | 2.0 mm AISI304L or AISI316L |
| Impact resistance: | IK10 |
| Approvals: | CE, RoHS, TUV, RINA, CULUS LISTED, EAC |




Description

The E MOX X stainless steel enclosure is a fully welded floor standing enclosure with removable rear panel and supplied mounting plate. The enclosure is built with a unique symmetrical monoblock structure in stainless steel with welded top, bottom and side panels and a single blank door fitted with an innovative lever-operated locking system. Supplied in 15 standard dimensions with single or double blank doors. The E MOX X offers features such as silicone sealing, door made of stainless steel with shaped corners and handles. The E MOX X has a structure made of 1.5 mm thick AISI304L stainless steel sheet with removable rear panel (AISI 316L on request). Door made of AISI304L stainless steel sheet with stiffening frame (AISI 316L on request).

- Protection level guaranteed by two-component silicone foam seal

Delivery includes:

- Mounting plate
- Cabinet with removable back panel
- Door with stiffening frame, shaped corners and complete with diam. 3.0mm double bar lever operated locking system
- Modular and adjustable cable entry with sealing gasket
- Hinge



e mox x

Article number

| Art.No | Description | Type | Width mm | Height mm | Depth mm | Protection class | Material |
|---------------|--|------|----------|-----------|----------|------------------|----------|
| EMOX061604PRX | Floor standing cabinet E MOX X INOX | 1D | 600 | 1600 | 400 | IP66 | AISI304L |
| EMOX061804PRX | Floor standing cabinet E MOX X INOX | 1D | 600 | 1800 | 400 | IP66 | AISI304L |
| EMOX061805PRX | Floor standing cabinet E MOX X INOX | 1D | 600 | 1800 | 500 | IP66 | AISI304L |
| EMOX062004PRX | Floor standing cabinet E MOX X INOX | 1D | 600 | 2000 | 400 | IP66 | AISI304L |
| EMOX062005PRX | Floor standing cabinet E MOX X INOX | 1D | 600 | 2000 | 500 | IP66 | AISI304L |
| EMOX081604PRX | Floor standing cabinet E MOX X INOX | 1D | 800 | 1600 | 400 | IP66 | AISI304L |
| EMOX081804PRX | Floor standing cabinet E MOX X INOX | 1D | 800 | 1800 | 400 | IP66 | AISI304L |
| EMOX081805PRX | Floor standing cabinet E MOX X INOX | 1D | 800 | 1800 | 500 | IP66 | AISI304L |
| EMOX082004PRX | Floor standing cabinet E MOX X INOX | 1D | 800 | 2000 | 400 | IP66 | AISI304L |
| EMOX082005PRX | Floor standing cabinet E MOX X INOX | 1D | 800 | 2000 | 500 | IP66 | AISI304L |
| EMOX101604PRX | Floor standing cabinet E MOX X INOX | 1D | 1000 | 1600 | 400 | IP66 | AISI304L |
| EMOX101804PRX | Floor standing cabinet E MOX X INOX | 1D | 1000 | 1800 | 400 | IP66 | AISI304L |
| EMOX101805PRX | Floor standing cabinet E MOX X INOX | 1D | 1000 | 1800 | 500 | IP66 | AISI304L |

Article number

| | | | | | | | | |
|---------------|--|----|--------------------|------|------|-----|------|----------|
| EMOX102004PRX | Floor standing cabinet E MOX X INOX | 1D | | 1000 | 2000 | 400 | IP66 | AISI304L |
| EMOX102005PRX | Floor standing cabinet E MOX X INOX | 1D | | 1000 | 2000 | 500 | IP66 | AISI304L |
| EMOX120804PRX | Floor standing cabinet E MOX X INOX | 2D | Horizontal Version | 1200 | 800 | 400 | IP66 | AISI304L |
| EMOX121004PRX | Floor standing cabinet E MOX X INOX | 2D | Horizontal Version | 1200 | 1000 | 400 | IP66 | AISI304L |
| EMOX121604PRX | Floor standing cabinet E MOX X INOX | 2D | | 1200 | 1600 | 400 | IP66 | AISI304L |
| EMOX121804PRX | Floor standing cabinet E MOX X INOX | 2D | | 1200 | 1800 | 400 | IP66 | AISI304L |
| EMOX121805PRX | Floor standing cabinet E MOX X INOX | 2D | | 1200 | 1800 | 500 | IP66 | AISI304L |
| EMOX122004PRX | Floor standing cabinet E MOX X INOX | 2D | | 1200 | 2000 | 400 | IP66 | AISI304L |
| EMOX122005PRX | Floor standing cabinet E MOX X INOX | 2D | | 1200 | 2000 | 500 | IP66 | AISI304L |
| EMOX141004PRX | Floor standing cabinet E MOX X INOX | 2D | Horizontal Version | 1400 | 1000 | 400 | IP66 | AISI304L |
| EMOX161004PRX | Floor standing cabinet E MOX X INOX | 2D | Horizontal Version | 1600 | 1000 | 400 | IP66 | AISI304L |
| EMOX161804PRX | Floor standing cabinet E MOX X INOX | 2D | | 1600 | 1800 | 400 | IP66 | AISI304L |
| EMOX162004PRX | Floor standing cabinet E MOX X INOX | 2D | | 1600 | 2000 | 400 | IP66 | AISI304L |
| EMOX181004PRX | Floor standing cabinet E MOX X INOX | 2D | Horizontal Version | 1800 | 1000 | 400 | IP66 | AISI304L |