

FL21 Multiflange | HTC

Robust multi-flange | Steel-reinforced rubber | IP65

Article:	HTC
Brand:	
Protection class:	IP55, IP65
Material:	Plastic TPE-SEPS (halogen-free)
Temperature:	-40°C to 130°C
Color:	RAL7035



Description

FL21 Multiflange / HTC is the perfect solution for safe and efficient cable entry in various applications. With their innovative design and high quality construction, these multi flanges offer outstanding performance and reliability.

Advantages:

- Steel core for superior stability
- High IP class for excellent protection
- Comes with 4 expansion rivets for easy installation
- Made of halogen-free plastic (TPE-SEPS)
- Suitable for both indoor and outdoor use
- To guarantee IP65 for outdoor use, use screw and nut



Article number

Art.No	E-number	Description	Cable diameter Ø mm	Protection class	Color	PDF
HTC-0	2600011	Blind flange HTC TPE-SEPS		IP55/IP65	RAL7035	PDF
HTC-3	2674624	Multiflange HTC 3 TPE-SEPS	2 pcs 24-54 1st 30-59 3 pcs 6-14	IP55/IP65	RAL7035	PDF
HTC-16	2674625	Multiflange HTC 16 TPE-SEPS	1pc 40 15pcs 20	IP55/IP65	RAL7035	PDF
HTC-17	2674626	Multiflange HTC 17 TPE-SEPS	9 pcs 18-30 el. 9 pcs 10-14 4 pcs 10-15 4 pcs 5-10	IP55/IP65	RAL7035	PDF
HTC-25	2674627	Multiflange HTC 25 TPE-SEPS	1st 20-26 el. 12 pcs 15 16 pcs 8-14 el. 7-10 4 pcs 14-20 el. 5-10 4 pcs 5-7	IP55/IP65	RAL7035	PDF
HTC-28	2600012	Multiflange HTC 28 TPE-SEPS	18 pcs 6-13 6 pcs 13-28 4 pcs 3-11	IP55/IP65	RAL7035	PDF
HTC-35	2674628	Multiflange HTC 35 TPE-SEPS	1st 17-32 2 pcs 12-18 16 pcs 10- 14 12 pcs 7-12 4 pcs 6-10	IP55/IP65	RAL7035	PDF
HTC-36	2600013	Multiflange HTC 36 TPE-SEPS	4 pcs 4-8 4 pcs 6- 10 11st 7-11 14 pcs 10-14 2 pcs 12-18 1st 17-32	IP55/IP65	RAL7035	PDF
HTC-43	2600014	Multiflange HTC 43 TPE-SEPS	4 pcs 4-10.5 38 pcs 7-12.5 1st 14- 27.5	IP55/IP65	RAL7035	PDF
HTC-50	2674629	Multiflange HTC 50 TPE-SEPS	49pcs 7-13 1pcs 15-25	IP55/IP65	RAL7035	PDF

Article number

HTC rivet

Flange rivet HTC |
TPE-SEPS

IP55/IP65

RAL7035