

Cable glands | Brass

Standard cable gland | M12 - M63 | Clamping radius Ø3-44mm | IP68


Article:	Cable glands Brass
Brand:	Bimed
Cable Gland material:	Brass
Material O-ring to housing:	Chloroprene CR
Clamping Insert material:	Polyamide PA6
Material O-ring to housing:	NBR
Protection class:	IP 68 - 5 Bar, 30 minutes, IP66
Rating:	TYPE 1, 4X
Flammability:	V2 according to UL94
Operating temperature:	Permanent -20 °C to +100 °C



Description

Brass cable glands are the perfect choice for industrial standard applications in demanding environments. These glands offer easy assembly and high-quality strain relief, ensuring reliable performance. With proven sealing technology and international approvals, you can be sure that these cable glands meet the highest standards. Whether it's heavy industry or other demanding applications, these metal cable glands are a reliable choice for your needs.

- For standard industrial applications in harsh environments
- For machines and boxes
- Fast and easy mounting
- High quality strain relief and sealing, reliable performance for standard industrial applications
- Current international approvals



Article number

Art.No	Description	Size	Cable diameter Ø mm	Thread Length TL mm	Height H mm	Protection class	Material
CBMBD-0S	Cable gland BR	M12x1.5	2 – 5	6	24	IP68	Brass
CBMBC-0S	Cable gland BR	M12x1.5	3 – 6.5	6	24	IP68	Brass
CBMBE-0S	Cable gland BR	M12x1.5	3 – 6.5	12	24	IP68	Brass
CBMBC-01	Cable gland BR	M16x1.5	4 – 8	7	25.5	IP68	Brass
CBMBE-01S	Cable gland BR	M16x1.5	5 – 10	7	30	IP68	Brass
CBMBE-01S	Cable gland BR	M16x1.5	5 – 10	12	31.5	IP68	Brass
CBMBC-02	Cable gland BR	M20x1.5	6 – 12	8	26.5	IP68	Brass
CBMBC-02S	Cable gland BR	M20x1.5	10 – 14	8	30	IP68	Brass
CBMBE-02	Cable gland BR	M20x1.5	6 – 12	12	26.5	IP68	Brass
CBMBC-03	Cable gland BR	M25x1.5	10 – 14	8	30	IP68	Brass
CBMBC-03S	Cable gland BR	M25x1.5	13 – 18	8	35	IP68	Brass
BMBE-03S	Cable gland BR	M25x1.5	10 – 14	12	30	IP68	Brass
CBMBC-04	Cable gland BR	M32x1.5	13 – 18	9	35	IP68	Brass
CBMBC-04S	Cable gland BR	M32x1.5	18 – 25	9	46	IP68	Brass
CBMBE-04	Cable gland BR	M32x1.5	13 – 18	15	35	IP68	Brass
CBMBC-E5	Cable gland BR	M40x1.5	19 – 28	9	45.5	IP68	Brass
CBMBD-E5	Cable gland BR	M40x1.5	16 – 23	9	45.5	IP68	Brass
CBMBE-E5	Cable gland BR	M40x1.5	19 – 28	15	45.5	IP68	Brass
CBMBC-06	Cable gland BR	M50x1.5	22 – 32	9	50	IP68	Brass
CBMBD-06	Cable gland BR	M50x1.5	20 – 26	9	50	IP68	Brass

Article number

CBMBE-06	Cable gland BR	M50x1.5	22 – 32	15	50	IP68	Brass
CBMBC-07	Cable gland BR	M63x1.5	34 – 44	14	55	IP68	Brass
CBMBD-07	Cable gland BR	M63x1.5	29 – 35	14	55	IP68	Brass
CBMBE-07	Cable gland BR	M63x1.5	34 – 44	18	55	IP68	Brass