

Cable sets | KT-BL

Slotted inserts for the food industry | for KEL-ER-BL cable diameter Ø1-35mm | IP64 / IP65

Article:	KT-BL
Brand:	icotek
IP Rating:	IP54 IP55 IP64 IP65
Material:	Elastomer
Flammability:	UL94-V0, self-extinguishing
Temperature:	40°C to 100°C
Characteristics:	Silicone-free, Halogen-free





Description

Cable sets | KT-BL are particularly suitable for use with:

Cable gland frame

The signal color blue provides clear visual color identification. The small inserts are designed for cable diameters from 1 to 16 mm, and the large ones for diameters from 16 to 35 mm.

During installation, the flat sides should face each other. This allows the flat sides to match and provides a secure seal.



Article number

Art.No	Description	Designation 2	Type	Number of Cables	Cable diameter. Ø mm	Length mm	Width mm	Height mm	Color	Cable type	Unit	Pc
70135	Bet KT-BL small	BTK-BL	Blind	0		21	21	19	blue	Round cable	st	10
70101	Bet KT-BL small	KT-BL 1	Simple	1	1x1-2	21	21	19	blue	Round cable	st	10
70102	Bet KT-BL small	KT-BL 2	Simple	1	1x2-3	21	21	19	blue	Round cable	st	10
70103	Bet KT-BL small	KT-BL 3	Simple	1	1x3-4	21	21	19	blue	Round cable	st	10
70104	Bet KT-BL small	KT-BL 4	Simple	1	1x4-5	21	21	19	blue	Round cable	st	10
70105	Bet KT-BL small	KT-BL 5	Simple	1	1x5-6	21	21	19	blue	Round cable	st	10
70106	Bet KT-BL small	KT-BL 6	Simple	1	1x6-7	21	21	19	blue	Round cable	st	10
70107	Bet KT-BL small	KT-BL 7	Simple	1	1x7-8	21	21	19	blue	Round cable	st	10
70108	Bet KT-BL small	KT-BL 8	Simple	1	1x8-9	21	21	19	blue	Round cable	st	10
70109	Bet KT-BL small	KT-BL 9	Simple	1	1x9-10	21	21	19	blue	Round cable	st	10
70110	Bet KT-BL small	KT-BL 10	Simple	1	1x10-11	21	21	19	blue	Round cable	st	10
70111	Bet KT-BL small	KT-BL 11	Simple	1	1x11-12	21	21	19	blue	Round cable	st	10
70112	Bet KT-BL small	KT-BL 12	Simple	1	1x12-13	21	21	19	blue	Round cable	st	10

Article number

70113	Bet KT-BL small	KT-BL 13	Simple	1	1x13-14	21	21	19	blue	Round cable	st	10
70114	Bet KT-BL small	KT-BL 14	Simple	1	1x14-15	21	21	19	blue	Round cable	st	10
70115	Bet KT-BL small	KT-BL 15	Simple	1	1x15-16	21	21	19	blue	Round cable	st	10
70136	Insert KT-BL large	BTG-BL	Blind	0		41.5	42	19	blue	Round cable	st	10
70116	Insert KT-BL large	KT-BL 16	Simple	1	1x16-17	41.5	42	19	blue	Round cable	st	10
70117	Insert KT-BL large	KT-BL 17	Simple	1	1x17-18	41.5	42	19	blue	Round cable	st	10
70118	Insert KT-BL large	KT-BL 18	Simple	1	1x18-19	41.5	42	19	blue	Round cable	st	10
70119	Insert KT-BL large	KT-BL 19	Simple	1	1x19-20	41.5	42	19	blue	Round cable	st	10
70120	Insert KT-BL large	KT-BL 20	Simple	1	1x20-21	41.5	42	19	blue	Round cable	st	10
70121	Insert KT-BL large	KT-BL 21	Simple	1	1x21-22	41.5	42	19	blue	Round cable	st	10
70122	Insert KT-BL large	KT-BL 22	Simple	1	1x22-23	41.5	42	19	blue	Round cable	st	10
70123	Insert KT-BL large	KT-BL 23	Simple	1	1x23-24	41.5	42	19	blue	Round cable	st	10
70124	Insert KT-BL large	KT-BL 24	Simple	1	1x24-25	41.5	42	19	blue	Round cable	st	10
70125	Insert KT-BL large	KT-BL 25	Simple	1	1x25-26	41.5	42	19	blue	Round cable	st	10

Article number

70126	Insert KT-BL large	KT-BL 26	Simple	1	1x26-27	41.5	42	19	blue	Round cable	st	10
70127	Insert KT-BL large	KT-BL 27	Simple	1	1x27-28	41.5	42	19	blue	Round cable	st	10
70128	Insert KT-BL large	KT-BL 28	Simple	1	1x28-29	41.5	42	19	blue	Round cable	st	10
70129	Insert KT-BL large	KT-BL 29	Simple	1	1x29-30	41.5	42	19	blue	Round cable	st	10
70130	Insert KT-BL large	KT-BL 30	Simple	1	1x30-31	41.5	42	19	blue	Round cable	st	10
70131	Insert KT-BL large	KT-BL 31	Simple	1	1x31-32	41.5	42	19	blue	Round cable	st	10
70132	Insert KT-BL large	KT-BL 32	Simple	1	1x32-33	41.5	42	19	blue	Round cable	st	10
70133	Insert KT-BL large	KT-BL 33	Simple	1	1x33-34	41.5	42	19	blue	Round cable	st	10
70134	Insert KT-BL large	KT-BL 34	Simple	1	1x34-35	41.5	42	19	blue	Round cable	st	10