

Cooling unit | Outdoor

Wall-mounted outdoor | 300W - 6000W | IP55

Article:	Cooling unit Outdoor
Brand:	DKC
Protection class:	IP55
Voltage:	230V 400 / 460V 3-phase
Effect:	300W - 6000W
Operating temperature:	20°C - 55°C
Material:	Steel sheet Stainless steel AISI304L Acid-resistant AISI316L (on request)
Color:	RAL 7035 (steel sheet)



Description

Cooling units for outdoor wall or door mounting, with power from 300W to 6000W.

- Foamed polyurethane gasket on the back of the unit.
- Built-in "hot-pipe" loop in the condensate tray that evaporates the condensate water.
- Textured coated corrosion-protected steel sheet in RAL7035.
- Other RAL colors are available.
- Visual alarm on the inner control panel.
- Other power supply voltage possible.
- Also available in 48V DC for data / telecom applications.
- Withstands ambient temperatures up to + 65 °

Article number

Art.No	Name	Version	Capacity	Input voltage AC	Operating temperature:	Width mm	Height mm	Depth mm	Protection class	Color / Material (housing)	PDF
ROKLM05021L	Cooling unit Outdoor	Top	500W	230V	20°C-55°C	300	600	290	IP55	RAL7035	PDF
RIKLM05042L	Cooling unit Outdoor INOX	Top	500W	400V 2-phase	20°C-55°C	300	600	290	IP55	AISI304L	PDF
ROKLM08021L	Cooling unit Outdoor	Top	800W	230V	20°C-55°C	300	600	290	IP55	RAL7035	PDF
ROKLM08042L	Cooling unit Outdoor	Top	800W	400V 2-phase	20°C-55°C	300	600	290	IP55	RAL7035	PDF
ROKLM10021L	Cooling unit Outdoor	Top	1000W	230V	20°C-55°C	400	950	240	IP55	RAL7035	PDF
ROKLM10042L	Cooling unit Outdoor	Top	1000W	400V 2-phase	20°C-55°C	405	1050	240	IP55	RAL7035	PDF
ROKLM15021L	Cooling unit Outdoor	Top	1500W	230V	20°C-55°C	405	950	240	IP55	RAL7035	PDF
ROKLM15042L	Cooling unit Outdoor	Top	1500W	400V 2-phase	20°C-55°C	405	1050	240	IP55	RAL7035	PDF
ROKLM20021L	Cooling unit Outdoor	Top	2000W	230V	20°C-55°C	405	950	240	IP55	RAL7035	PDF
ROKLM20042L	Cooling unit Outdoor	Top	2000W	400V 2-phase	20°C-55°C	405	1050	240	IP55	RAL7035	PDF
ROKLM30043L	Cooling unit Outdoor	Top	3000W	400/440V 3-phase	20°C-55°C	505	1100	340	IP55	RAL7035	PDF
RIKLM30043L	Cooling unit Outdoor INOX	Top	3000W	400/440V 3-phase	20°C-55°C	505	1100	340	IP55	AISI304L	PDF
ROKLM40043L	Cooling unit Outdoor	Top	4000W	400/440V 3-phase	20°C-55°C	505	1100	340	IP55	RAL7035	PDF

Article number

ROKLM60043L	Cooling unit Outdoor	Top	6000W	400/460V 3- phase	20°C-55°C	550	1100	400	IP55	RAL7035	PDF
RIKLM60043L	Cooling unit Outdoor INOX	Top	6000W	400/460V 3- phase	20°C-55°C	550	1400	400	IP55	AISI304L	PDF