


Cable channel IBOCO | TA-E / TA-W

Installation channel | RAL7030 | RAL9001

Article:	TA-E / TA-W
Brand:	IBOCO
Material:	Rigid PVC, Self-extinguishing
Temperature:	5°C to 65°C
Length:	2000mm
Color:	RAL7030 RAL9001
Approvals:	CE



Description

Cable duct / TA-E | TA-W – Installation duct for elevator and machine installations with high requirements.,

IBOCO TA-E | TA-W is a tight cable duct with pre-drilled mounting holes in the bottom, making installation quick and safe. It is available in both gray and white, so you can easily adapt to your environment, needs or standards.

Advantages of IBOCO TA-E/W solid cable duct:

- Tight construction – Protects cables from dust, dirt and external influences – ideal for industrial environments.
- Assembly-friendly design – Pre-drilled holes in the bottom save time during installation and provide a stable attachment.
- Color choices for different applications – Choose between gray and white to match existing enclosures or installation standards.
- Suitable for elevator and machine installations – Excellent for applications where cabling needs to be protected, structured and durable.

We also offer cutting and adapting cable ducts to your exact measurements and needs – contact us for a tailor-made solution!

Article number

Art.No	E-number	Description	Designation 2	Type	Width mm	Height mm	Length mm	Color	Unit	Pc
2530TA-E	2990020	Cable trunking TA-E	PVC	Solid	25	30	2000	Gray	fingerprint	40
2530TA-EW	2990210	Cable trunking TA-EW	PVC	Solid	25	30	2000	White	fingerprint	40
4040TA-E	2990021	Cable trunking TA-E	PVC	Solid	40	40	2000	Gray	fingerprint	24
4040TA-EW	2990211	Cable trunking TA-EW	PVC	Solid	40	40	2000	White	fingerprint	24
6040TA-E	2990253	Cable trunking TA-E	PVC	Solid	60	40	2000	Gray	fingerprint	12
6040TA-EW	2990212	Cable trunking TA-EW	PVC	Solid	60	40	2000	White	fingerprint	12
6060TA-E	2990024	Cable trunking TA-E	PVC	Solid	60	60	2000	Gray	fingerprint	12
6060TA-EW	2990216	Cable trunking TA-EW	PVC	Solid	60	60	2000	White	fingerprint	12
8040TA-E	2990022	Cable trunking TA-E	PVC	Solid	80	40	2000	Gray	fingerprint	12
8040TA-EW	2990213	Cable trunking TA-EW	PVC	Solid	80	40	2000	White	fingerprint	12
8060TA-E	2990025	Cable trunking TA-E	PVC	Solid	80	60	2000	Gray	fingerprint	8
8060TA-EW	2990217	Cable trunking TA-EW	PVC	Solid	80	60	2000	White	fingerprint	8
10040TA-E	2990023	Cable trunking TA-E	PVC	Solid	100	40	2000	Gray	fingerprint	8

Article number

10040TA-EW	2990214	Cable trunking TA-EW	PVC	Solid	100	40	2000	White	fingerprint	8
10060TA-E	2990026	Cable trunking TA-E	PVC	Solid	100	60	2000	Gray	fingerprint	8
10060TA-EW	2990218	Cable trunking TA-EW	PVC	Solid	100	60	2000	White	fingerprint	8
10080TA-E	2990030	Cable trunking TA-E	PVC	Solid	100	80	2000	Gray	fingerprint	8
10080TA-EW	2990223	Cable trunking TA-EW	PVC	Solid	100	80	2000	White	fingerprint	8
12040TA-EW	2990215	Cable trunking TA-EW	PVC	Solid	120	40	2000	White	fingerprint	8
12060TA-E	2990027	Cable trunking TA-E	PVC	Solid	120	60	2000	Gray	fingerprint	8
12060TA-EW	2990219	Cable trunking TA-EW	PVC	Solid	120	60	2000	White	fingerprint	8
12080TA-E	2990031	Cable trunking TA-E	PVC	Solid	120	80	2000	Gray	fingerprint	8
12080TA-EW	2990224	Cable trunking TA-EW	PVC	Solid	120	80	2000	White	fingerprint	8
15060TA-E	2990028	Cable trunking TA-E	PVC	Solid	150	60	2000	Gray	fingerprint	6
15060TA-EW	2990221	Cable trunking TA-EW	PVC	Solid	150	60	2000	White	fingerprint	6
15080TA-E	2990032	Cable trunking TA-E	PVC	Solid	150	80	2000	Gray	fingerprint	6
15080TA-EW	2990225	Cable trunking TA-EW	PVC	Solid	150	80	2000	White	fingerprint	6

Article number

20060TA-E	2990029	Cable trunking TA-E	PVC	Solid	200	60	2000	Gray	fingerprint	4
20060TA-EW	2990222	Cable trunking TA-EW	PVC	Solid	200	60	2000	White	fingerprint	4
20080TA-E	2990033	Cable trunking TA-E	PVC	Solid	200	80	2000	Gray	fingerprint	4
20080TA-EW	2990226	Cable trunking TA-EW	PVC	Solid	200	80	2000	White	fingerprint	4