


Cable duct Unex | 88 HF

Halogen-free slotted cable duct | U43X | RAL7035

Article:	88 HF
Brand:	Unex
Material:	U43X base raw material PC
Temperature:	-45°C to 90°C
Length:	2000mm
Color:	RAL7035
Approvals:	CE, UL, CSA, N, NF, VDE, Bureau Veritas, Germanisher Loyd, FSR (Russia)



Description

Cable duct Unex 88 / HF – Halogen-free cable duct with the highest performance and finish.

Cable duct Slotted UNEX / HF is manufactured in the halogen-free mixture oU43 X Base raw material: 100% recycled halogen free thermoplastic component. The duct is a first-class choice for those who place high demands on safety, finish and function. With its clean design and without uneven edges, it provides both a professional aesthetic and gentle treatment of the cables during installation.

Advantages of UNEX HF cable duct:

- Halogen-free and self-extinguishing – Meets modern environmental and safety requirements
- Flexible and durable slots – Bends without breaking, for easy and safe cable routing
- Clean cut from sidewall to bottom – Provides optimal space for branching and does not damage the cable insulation
- Rigid cable holders – Prevents deformation and enables clear circuit division
- 4 mm between slots – Provides more exit points for cables towards connection points
- Unique finish and easy assembly – Smooth surfaces and user-friendly design for quick installation
- Broad certification base – The product is tested and approved according to the industry's strictest standards

Cable duct Slotted UNEX / HF is the obvious choice for electrical installers, panel builders and automation solutions that require both reliable function and a professional finish.

Order UNEX HF cable ducts from C-Pro today – for a safe, smooth and certified installation!

Contact Us if you have questions about halogen-free solutions or need help choosing the right dimension.

Article number

Art.No	E-number	Description	Designation 2	Width mm	Height mm	Length mm	Material	Color	Unit	Pc
2025HF	2990496	Cable trunking Unex	Slotted Halogen-free 25.20.88	20	25	2000	U43X	RAL7035	fingerprint	30
3030HF	2990003	Cable trunking Unex	Slotted Halogen-free 30.30.88	30	30	2000	U43X	RAL7035	fingerprint	30
2040HF	2990004	Cable trunking Unex	Slotted Halogen-free 40.20.88	20	40	2000	U43X	RAL7035	fingerprint	36
3040HF	2990000	Cable trunking Unex	Slotted Halogen-free 40.30.88	30	40	2000	U43X	RAL7035	fingerprint	24
4040HF	2990001	Cable trunking Unex	Slotted Halogen-free 40.40.88	40	40	2000	U43X	RAL7035	fingerprint	16
6040HF	2990002	Cable trunking Unex	Slotted Halogen-free 40.60.88	60	40	2000	U43X	RAL7035	fingerprint	12
8040HF		Cable trunking Unex	Slotted Halogen-free 40.80.88	80	40	2000	U43X	RAL7035	fingerprint	12
2060HF		Cable trunking Unex	Slotted Halogen-free 60.20.88	20	60	2000	U43X	RAL7035	fingerprint	24
3060HF	2990005	Cable trunking Unex	Slotted Halogen-free 60.30.88	30	60	2000	U43X	RAL7035	fingerprint	18
4060HF	2990006	Cable trunking Unex	Slotted Halogen-free 60.40.88	40	60	2000	U43X	RAL7035	fingerprint	16
6060HF	2990007	Cable trunking Unex	Slotted Halogen-free 60.60.88	60	60	2000	U43X	RAL7035	fingerprint	16
8060HF	2990008	Cable trunking Unex	Slotted Halogen-free 60.80.88	80	60	2000	U43X	RAL7035	fingerprint	16
10060HF		Cable trunking Unex	Slotted Halogen-free 60.100.88	100	60	2000	U43X	RAL7035	fingerprint	6

Article number

12060HF	2990010	Cable trunking Unex	Slotted Halogen-free 60.120.88	120	60	2000	U43X	RAL7035	fingerprint	6
3080HF	2990011	Cable trunking Unex	Slotted Halogen-free 80.30.88	30	80	2000	U43X	RAL7035	fingerprint	14
4080HF	2990012	Cable trunking Unex	Slotted Halogen-free 80.40.88	40	80	2000	U43X	RAL7035	fingerprint	12
6080HF	2990013	Cable trunking Unex	Slotted Halogen-free 80.60.88	60	80	2000	U43X	RAL7035	fingerprint	12
8080HF	2990014	Cable trunking Unex	Slotted Halogen-free 80.80.88	80	80	2000	U43X	RAL7035	fingerprint	12
10080HF	2990015	Cable trunking Unex	Slotted Halogen-free 80.100.88	100	80	2000	U43X	RAL7035	fingerprint	6
12080HF	2990016	Cable trunking Unex	Slotted Halogen-free 80.120.88	120	80	2000	U43X	RAL7035	fingerprint	6
30100HF		Cable trunking Unex	Slotted Halogen-free 100.30.88	30	100	2000	U43X	RAL7035	fingerprint	8
40100HF		Cable trunking Unex	Slotted Halogen-free 100.40.88	40	100	2000	U43X	RAL7035	fingerprint	8
60100HF	2990018	Cable trunking Unex	Slotted Halogen-free 100.60.88	60	100	2000	U43X	RAL7035	fingerprint	8
80100HF	2990019	Cable trunking Unex	Slotted Halogen-free 100.80.88	80	100	2000	U43X	RAL7035	fingerprint	8
100100HF	2990034	Cable trunking Unex	Slotted Halogen-free 100.100.88	100	100	2000	U43X	RAL7035	fingerprint	4