

Enclosure | MBA

Aluminium Enclosures | ALUMINUM | RAL7001 | IP66

Article:	MBA
Brand:	Multi-Box
Protection class:	IP66
Material:	Powder-coated aluminum
Sealing material:	Polyurethane
Material screws:	Stainless (V2A)
Operating temperature:	-40°C to 100°C (permanent)
Color:	RAL 7001



Description

The MBA enclosure is made of aluminum and is designed for use in control and regulation technology as well as power and monitoring technology. You can assemble the enclosures according to a modular system with the addition of various clamps and cable glands. In control and regulation technology, they are often used to encapsulate sensors, but they work just as well as junction boxes for cables while achieving a high IP rating.

- Suitable for both indoor and outdoor use
- Grounding point is available

Customize your enclosure:

- Mounting & Assembly
- Printing
- Design
- Color
- Punching



Article number

Art.No	Description	Type		Length mm	Width mm	Height mm	Protection class	Color	PDF
0101100100	Enclosure MBA ALU	Gray lid	MBA 504530	50	45	30	IP66	RAL7001	PDF
0101100200	Enclosure MBA ALU	Gray lid	MBA 606030	58	64	34	IP66	RAL7001	PDF
0101100300	Enclosure MBA ALU	Gray lid	MBA 606045	58	64	45	IP66	RAL7001	PDF
0101100400	Enclosure MBA ALU	Gray lid	MBA 906030	98	64	35	IP66	RAL7001	PDF
0101100500	Enclosure MBA ALU	Gray lid	MBA 906045	98	64	45	IP66	RAL7001	PDF
0101100600	Enclosure MBA ALU	Gray lid	MBA 156030	150	64	34	IP66	RAL7001	PDF
0101100700	Enclosure MBA ALU	Gray lid	MBA 156045	150	64	45	IP66	RAL7001	PDF
0101100900	Enclosure MBA ALU	Gray lid	MBA 708055	75	80	57	IP66	RAL7001	PDF
0101100990	Enclosure MBA ALU	Gray lid	MBA 708065	75	80	65	IP66	RAL7001	PDF
0101101100	Enclosure MBA ALU	Gray lid	MBA 128055	125	80	57	IP66	RAL7001	PDF
0101101200	Enclosure MBA ALU	Gray lid	MBA 128012	125	80	125	IP66	RAL7001	PDF
0101101300	Enclosure MBA ALU	Gray lid	MBA 178055	175	80	57	IP66	RAL7001	PDF
0101101400	Enclosure MBA ALU	Gray lid	MBA 258050	250	80	57	IP66	RAL7001	PDF

Article number

0101101500	Enclosure MBA ALU	Gray lid	MBA 258065	250	80	65	IP66	RAL7001	PDF
0101105500	Enclosure MBA ALU	Gray lid	MBA 101080	100	100	80	IP66	RAL7001	PDF
0101106500	Enclosure MBA ALU	Gray lid	MBA 161080	160	100	80	IP66	RAL7001	PDF
0101106600	Enclosure MBA ALU	Gray lid	MBA 201080	200	100	80	IP66	RAL7001	PDF
0101101600	Enclosure MBA ALU	Gray lid	MBA 121265	122	120	65	IP66	RAL7001	PDF
0101101700	Enclosure MBA ALU	Gray lid	MBA 121275	122	120	75	IP66	RAL7001	PDF
0101101800	Enclosure MBA ALU	Gray lid	MBA 121280	122	120	80	IP66	RAL7001	PDF
0101101900	Enclosure MBA ALU	Gray lid	MBA 121290	122	120	90	IP66	RAL7001	PDF
0101102000	Enclosure MBA ALU	Gray lid	MBA 221265	220	120	65	IP66	RAL7001	PDF
0101102100	Enclosure MBA ALU	Gray lid	MBA 221275	220	120	75	IP66	RAL7001	PDF
0101102200	Enclosure MBA ALU	Gray lid	MBA 221280	220	120	80	IP66	RAL7001	PDF
0101102300	Enclosure MBA ALU	Gray lid	MBA 221290	220	120	90	IP66	RAL7001	PDF
0101102400	Enclosure MBA ALU	Gray lid	MBA 361280	360	122	80	IP66	RAL7001	PDF
0101104500	Enclosure MBA ALU	Gray lid	MBA 141490	140	140	90	IP66	RAL7001	PDF

Article number

0101108500	Enclosure MBA ALU	Gray lid	MBA 201490	200	140	90	IP66	RAL7001	PDF
0101107500	Enclosure MBA ALU	Gray lid	MBA 181490	180	143	90	IP66	RAL7001	PDF
0101102500	Enclosure MBA ALU	Gray lid	MBA 161690	160	160	90	IP66	RAL7001	PDF
0101104000	Enclosure MBA ALU	Gray lid	MBA 261665	260	160	65	IP66	RAL7001	PDF
0101102600	Enclosure MBA ALU	Gray lid	MBA 261690	260	160	90	IP66	RAL7001	PDF
0101102800	Enclosure MBA ALU	Gray lid	MBA 361690	360	160	90	IP66	RAL7001	PDF
0101102900	Enclosure MBA ALU	Gray lid	MBA 561690	560	160	90	IP66	RAL7001	PDF
0101108000	Enclosure MBA ALU	Gray lid	MBA 181810	180	180	100	IP66	RAL7001	PDF
0101108100	Enclosure MBA ALU	Gray lid	MBA 281810	280	180	100	IP66	RAL7001	PDF
0101103000	Enclosure MBA ALU	Gray lid	MBA 202311	200	230	110	IP66	RAL7001	PDF
0101104100	Enclosure MBA ALU	Gray lid	MBA 202318	200	230	180	IP66	RAL7001	PDF
0101103100	Enclosure MBA ALU	Gray lid	MBA 282311	280	230	110	IP66	RAL7001	PDF
0101103202	Enclosure MBA ALU	Gray lid	MBA 332311	330	230	110	IP66	RAL7001	PDF
0101103300	Enclosure MBA ALU	Gray lid	MBA 332318	330	230	180	IP66	RAL7001	PDF

Article number

0101103400	Enclosure MBA ALU	Gray lid	MBA 402311	400	230	110	IP66	RAL7001	PDF
0101103700	Enclosure MBA ALU	Gray lid	MBA 602311	600	230	110	IP66	RAL7001	PDF
0101103500	Enclosure MBA ALU	Gray lid	MBA 403111	400	310	110	IP66	RAL7001	PDF
0101103600	Enclosure MBA ALU	Gray lid	MBA 403118	400	310	180	IP66	RAL7001	PDF
0101103800	Enclosure MBA ALU	Gray lid	MBA 603111	600	310	110	IP66	RAL7001	PDF
0101103900	Enclosure MBA ALU	Gray lid	MBA 603118	600	310	180	IP66	RAL7001	PDF