


Cable duct IBOCO | T1-E

Slotted cable duct | RAL7030


Article:	T1-E
Brand:	IBOCO
Material:	Rigid PVC, Self-extinguishing
Temperature:	5°C to 65°C
Length:	2000mm
Color:	RAL7030
Approvals:	CE, UL, CSA
Other:	F = "cable holder" in the middle of the slot



Description

Cable duct Slotted IBOCO / T1-E – Smooth and efficient cable management for professional installations.

Are you looking for a reliable solution for organizing smaller cables in control cabinets or electrical cabinets? The Slotted Cable Duct IBOCO T1-E is an excellent choice for those who want robust, structured, and efficient cable routing. This narrow slotted cable duct comes complete with a cover and is specifically designed to withstand demanding industrial environments.



Advantages of IBOCO T1-E cable duct:

- Strong and durable construction The extra thick bottom and sidewalls provide long-lasting performance and increased stability in harsh environments.
- Quick installation Countersunk holes in the bottom of the channel enable easy assembly with smart accessories, saving both time and labor.
- Versatile use – Perfect for control cabinets, machine installations, control panels and other industrial applications where order and safety are crucial.

With IBOCO T1-E cable trunking You don't just get more attractive cable routing – you also get a safer and more efficient electrical installation. Invest in quality and function with a cable channel that is built to last.

Article number

Art.No	E-number	Description	Designation 2	Type	Width mm	Height mm	Length mm	Color	Unit	Pc
2540T1-E	2990112	Cable trunking T1-E	PVC	Narrow slit	25	40	2000	RAL7030	fingerprint	36
2560T1-E	2990122	Cable trunking T1-E	PVC	Narrow slit	25	60	2000	RAL7030	fingerprint	24
2580T1-E(F)	2990132	Cable trunking T1-E	PVC	Narrow slit	25	80	2000	RAL7030	fingerprint	24
25100t1-E(F)	2990059	Cable trunking T1-E	PVC	Narrow slit	25	100	2000	RAL7030	fingerprint	8
4040T1-E	2990115	Cable trunking T1-E	PVC	Narrow slit	40	40	2000	RAL7030	fingerprint	20
4060T1-E	2990125	Cable trunking T1-E	PVC	Narrow slit	40	60	2000	RAL7030	fingerprint	18
4080T1-E(F)	2990135	Cable trunking T1-E	PVC	Narrow slit	40	80	2000	RAL7030	fingerprint	16
40100T1-E(F)	2990108	Cable trunking T1-E	PVC	Narrow slit	40	100	2000	RAL7030	fingerprint	8
6040T1-E	2990117	Cable trunking T1-E	PVC	Narrow slit	60	40	2000	RAL7030	fingerprint	12
6060T1-E	2990127	Cable trunking T1-E	PVC	Narrow slit	60	60	2000	RAL7030	fingerprint	12
6080T1-E(F)	2990137	Cable trunking T1-E	PVC	Narrow slit	60	80	2000	RAL7030	fingerprint	12
60100T1-E(F)	2990109	Cable trunking T1-E	PVC	Narrow slit	60	100	2000	RAL7030	fingerprint	4
8040T1-E	2990119	Cable trunking T1-E	PVC	Narrow slit	80	40	2000	RAL7030	fingerprint	12
8060T1-E	2990128	Cable trunking T1-E	PVC	Narrow slit	80	60	2000	RAL7030	fingerprint	12
8080T1-E(F)	2990138	Cable trunking T1-E	PVC	Narrow slit	80	80	2000	RAL7030	fingerprint	12
80100T1-E(F)	2990110	Cable trunking T1-E	PVC	Narrow slit	80	100	2000	RAL7030	fingerprint	4
10040T1-E	2990120	Cable trunking T1-E	PVC	Narrow slit	100	40	2000	RAL7030	fingerprint	8
10060T1-E	2990129	Cable trunking T1-E	PVC	Narrow slit	100	60	2000	RAL7030	fingerprint	8
10080T1-E(F)	2990139	Cable trunking T1-E	PVC	Narrow slit	100	80	2000	RAL7030	fingerprint	8
100100T1-E(F)	2990208	Cable trunking T1-E	PVC	Narrow slit	100	100	2000	RAL7030	fingerprint	4

Article number

12060T1-E	2990130	Cable trunking T1-E	PVC	Narrow slit	120	60	2000	RAL7030	fingerprint	8
12080T1-E(F)	2990140	Cable trunking T1-E	PVC	Narrow slit	120	80	2000	RAL7030	fingerprint	8