

Cable entry frame | KEL-QUICK

Divisible frame | for cables with connector | IP54

Article:	KEL-QUICK
Brand:	icotek
IP rating:	IP54
Flammability:	UL94-V0, self-extinguishing
Temperature:	-40°C to 140°C
Material:	Polyamide
Mounting options:	Screw mounting, Snap-in with KEL-Snap
Characteristics:	UV-resistant, Silicone-free, Halogen-free, Anti-corrosive



Description

Cable entry frame / KEL-QUICK is a compact system for entry and sealing of cables with contact, as well as for lines or pneumatic hoses using split QT entries. After filling the frame with QT grommets and cables, the cover is clamped onto the frame without the use of tools. The divisible Cable Entry Frame / KEL-QUICK can either be mounted with screws or simply snapped into the KEL-SNAP frame. A flat rubber gasket is included in the shipment.

- KEL-QUICK -B has cut-out dimensions 46 x 36 mm
- KEL-QUICK 10 for 10-pin standard industrial connectors (65 x 36 mm)
- KEL-QUICK 16 for 16-pin standard industrial connectors (86 x 36 mm)
- KEL-QUICK 24 for measuring 24-pin industrial devices.

Advantages:

- Quick assembly by "clicking" into the frame without tools or screws
- Warranties on pre-terminated cables remain in effect
- Renovations, repairs and maintenance can be done easily and quickly
- High cable density, wide variety of grommets
- Increased packing density when using double or quadruple bushings



Article number

Art.No	Description	Number of Cables	Maximum cable diameter	Length mm	Width mm	Height mm	Mounting height	Punching	Suitable for interventions	Unit	Pc
42170	Gasket 16			118	56	3	3	86 x 36		st	1
42197	Gasket E3			98	40	2.5	2.5	65 x 24		st	1
42198	Gasket E4			120	40	2.5	2.5	86 x 24		st	1
42246	Gasket 24			145	56	2.5	2.5	112 x 36		st	1
42251	Gasket E5			147	40	2.5	2.5	112 x 24		st	1
42256	Gasket E2			72.8	40	2.5	2.5	43 x 24		st	1
42257	Gasket 10			98.3	58	2.5	2.5	65 x 36		st	1
42410	KEL-QUICK 24 10	40	15	147	58	17	17	112 x 36	10 x QT små	st	10
42412	KEL-QUICK 24 7	25	29	147	58	17	17	112 x 36	6 x QT små 1 x QT stor	st	10
42413	KEL-QUICK 24 4	10	29	147	58	17	17	112 x 36	2 x QT små 2 x QT stor	st	10
42418	KEL-QUICK 16 8	32	15	120	58	17	17	86 x 36	8 x QT små	st	10
42420	KEL-QUICK 10 6	24	15	98	58	17	17	65 x 36	6 x QT små	st	10
42421	KEL-QUICK E2	8	15	73	38	17	17	43 x 24	2 x QT small	st	10
42422	KEL-QUICK E3	12	15	98	38	17	17	65 x 24	3 x QT små	st	10
42423	KEL-QUICK E4	16	15	120	38	17	17	86 x 24	4 x QT small	st	10
42424	KEL-QUICK E5	20	15	147	38	17	17	112 x 24	5 x QT små	st	10
42425	KEL-QUICK 16 5	20	29	120	58	17	17	86 x 36	4 x QT små 4 x QT stor	st	10
42426	KEL-QUICK 16 2	2	29	120	58	17	17	86 x 36	2 x QT stor	st	10

Article number

42427	KEL-QUICK 10 3	9	29	98	58	17	17	65 x 36	2 x QT små 1 x QT stor	st	10
42434	KEL-QUICK B4	16	15	73	58	17	17	46 x 46	4 x QT small	st	10
42435	KEL-QUICK B1	1	29	73	58	17	17	46 x 46	1 x QT large	st	10
42451	Gasket QUICK-B			72.85	55.6	2.5	2.5	46 x 46		st	1